


Exclusive Packing Solutions



Complete solution for weighing & packing needs of various industrial domains.

- Cement Industry,
- Chemical,
- Sponge Iron,
- Power Plant, Food &
- Sugar Industry,
- Agro chemical & many other applications




Machines

- Roto Packer
- VIP
- Jumbo Packer
- Weigh Feeder
- Rotary Screen
- Truck Loader

Follow us on



ROTO PACKER



Roto Packer makes the process of filling Simple, Economical & Accurate. It is specially designed for weighing and filling of cement in other powder materials in pre-stitched.


- ▶ **No. of Spouts:**
6-16 Spouts
- ▶ **Output of Machine:**
300-360 bags/Hour/Spout
- ▶ **Material:**
Cement, Fly Ash, Ready mix, Chemical, Wall putty, Gypsum, etc.
- ▶ **Application Area :**
Cement, Building Materials, Power plants, Chemical etc.

Advantages


- Fully automatic Filling & Weighing Microprocessor based control unit along with advanced PLC system with a provision to integrate with your internal communication system.
- Two stage filling (coarse & fine) of the material inside the bag ensures better accuracy in weighment. Uses pre-stitched valve type bags. Same machine can be used for packing cement in any perforated bags like paper bag, HDPE bag

VIP

VIP 2.1



VIP 2.2



VIP 2.1

(open
mouth)



VIP 2.3



VIP 2.4



Vertical Impeller Packer is specially designed, unique, impeller type bag filling machine to pack any powder material.

VIP (Open Mouth) machines can have Pneumatic Bag holding system for filling in open mouth bags.

Packs any powder material in pre-stitched valve type bag HDPE / Paper bag.

Tailor made solution for bag application/placer.

► **No. of Spouts:**

1-4 Spouts

► **Capacity of machine:**

20kg to 50 kg.

► **Feed Rate of Machine:**

300-360 Bags/Hour/Spout

► **Material:**

Cement, Wall Putty, Lime Powder, Gypsum, Dry Mix, Fly Ash, Tile Adhesive etc.

► **Application Area:**

Cement, Building Materials, Power plants, Chemical etc.

JUMBO PACKER



VTC - BMD - 1 Electronic Jumbo Packer
(Bulk Multi Dump)



VTC - BGW - 1 Jumbo Packer

To facilitate export markets, jumbo packing is the most suitable mode of packing from 0.5MT to 2MT. To fulfill this packing requirement it needs special type of fillings solutions.

We offer two types of machines suitable for this applications.

- VTC - BMD - 1 Electronic Jumbo Packer (Bulk multi Dump)
- VTC - BGW - 1 Jumbo Packer

The above baggers are offered with the following weighing solutions.

- **Net weigher:** This is fastest systems with feed rate of 15-25 bags per hour.
- **Gross weigher:** Weighing & bagging is done in same cycle. Hence feed rate is 15-25 bags per hour.

Designed for dust free operation:

Big Bag Filling machine comes with as operational integral dust filter and fan, for dust free operation (in cases where bag filter is not available in client plant).

WEIGH FEEDERS



Capacity of machine:
0.4-400 TPH


Belt Width:
650-2000 mm wide

Application Area:
Cement, Fly Ash, Gypsum, Dolomite, Iron ore, Rice Husk, Mustard Husk, Saw Dust, shredded Dust, Agro-waste etc.

Our heavy duty Weigh Feeder offers accurate weigh feeding for a variety of demanding industrial applications with high feed rates.

- ▶ Vibratory hopper/feeder
- ▶ Setting chambers with star feeder/pre-feeder arrangement.
- ▶ Changeable belt with minimum downtime.
- ▶ Heavy-duty construction.
- ▶ Dedicated microprocessor-based control system.
- ▶ Provision to connect with the centralised communication system*
- ▶ High accuracy.

ROTARY SCREEN



Our rotating screens are highly effective separation solutions used to screen the powdered products to remove foreign particles through the end of the screen.

Application Area: Cement, minerals, etc.

Advantages

It separates any particles smaller than the slot size through the screen and any particles larger than the slot size from the end of the screen, for a better quality product.

Any kind of powdered materials can be screened in this machine.

FULLY AUTOMATIC TRUCK LOADER



Fully Automatic Truck Loading System by us is a compact, efficient, economical and automated system that loads in-layers-arranged bags directly onto trucks.

We offer Platform Based Rail Mounted Truck Loader & Suspended type Truck Loader.

Suitable for loading: 22, 32, 40 Truck size

Loading Speed: 1500-2400 bags/hour

Application Area:

Cement, Wall-putty, Ready-mix, Fertilizer, Food, Construction, Steel Industry, Supply chain logistics & Warehouse etc

Advantages

- Easy and Faster loading of heavy bags into the truck.
- Low manpower.
- Electronic control unit for easy accessibility of Left, Right, Up & Down along with forward & backward movement handling with the help of a handy remote.

Our Reputed List of Customers


**Ambuja
Cement**

**NEROLAC
PERMA**

JKCement

JSW

TATA POWER



CONTACT US



VT Corp Pvt Ltd.,
901, Windfall,
Sahar Plaza Complex,
J.B. Nagar, Andheri (East)
Mumbai - 400059



+91-22-6108-1200
+91 93231 25586



sales@vtcorp.in



www.vtcorpindia.com